



10mm White LED Light with 140.000mcd

Electrical-Optical Characteristic (Ta=25°C)

Item		Conditions	Min.	Typ.	Max..	Unit
Forward Voltage	VF	If=20mA	3.0	3.2	3.6	V
Reverse Current	IR	VR=5V	/	/	10	uA
Dominant Wavelength	λ_p	IF=20mA	/	/	/	nm
Luminous Intensity	IV	IF=20mA	110,000	120,000	140,000	mcd
Recommend Forward Current	IF(rec)	--	--	20	--	mA
50% Power Angle	2 θ 1/2	IF=20mA	/	15	/	degree

Absolute Maximum Ratings (Ta = 25°C)

Item	Symbol	Absolute Max. Rating	Unit
Power Dissipation	PD	100	mW
Forward Current (DC)	IF	20	mA
Peak Forward Current	IFP	30	mA
Reverse Voltage	VR	5	V
Operation Temperature	Topr	-25~80°C	/
Storage Temperature	Tstg	-40~80°C	/
Lead Soldering Temperature	Tsol	Max. 230°C for 5 sec.	

http://cgi.ebay.it/50p-10mm-SUPER-BRIGHT-WHITE-LED-LAMP-140Kmcd-FREE-SHIP-/370279921071?pt=LH_DefaultDomain_0&hash=item56366735af